

**ITEM 1 [NEWCASTLE | GATESHEAD]**

S.O. No.	P.O. No.	Rep	Account #	Ship Date	Snip Via	FOB
q111863	140083	KB	PL9057	12/3/2014	Delivery	
Item	Description		Qty			
SERVER-SYS	Main Server Intel 2U Dual E5 XEON, LGA 1356 072314-1		2			
SV-R2308SC2SH...	Intel 2U server w/Dual Redundant 460w PS; Socket B2; Server System (comes with SC2400SC2 motherboard and 2U rack chassi w/ (8) 3.5" bays; Intel P/N: R2308SC2SHDR		2			
DH-WD1003FBYZ	1TB - SATA - WD Enterprise hard drive WD1003FBYZ, 600 3.5" 7,200rpm 600MBs, 64MB cache; 5year WD warranty		8			
SV-AXXSATAD...	Intel DVD±RW drive - Serial ATA, works with SR2600URSATARNA, SR2600LX, Intel P/N: AXXSATADVDRWROM		2			
CP-INT-E5-2420	Intel® Xeon® Processor E5-2420 v2 (15M Cache, 2.20 GHz); 6 Cores; Hexacore; 80watts; SOCKET B2 (E5-2400 Series)		4			
SV-AXXRMM4	Intel Remote Management Module # AXXRMM4, (compatible with Intel® Server Board S2400SC2); Intel P/N AXXRMM4		2			
SV-A1U2ULCP	Intel Local Control Panel # A1U2ULCP, front control panel for 2U R2308.x series chyassis; Intel Mfr. P/N: A1U2ULCP		2			
SV-AXX1U2UC...	Intel AXX1U2UCMA, cable management arm for Premium rail kit (AXXPRAIL); Intel Mfr. P/N: AXX1U2UCMA		2			
SV-AXXTPME5	Intel TPM Module AXXTPME5 Hardware security chip ( for S1200V3RPS, R2308. series 2U; compatible with Server Board DBS2600; Server System P4308, R1208, R2224, R2312; Workstation Board W2600; S2400SC2 motherboard); Trusted Platform Module - Intel Mfr. P/N: AXXTPME5		2			
SV-AXXPRAIL	Intel Premium rail kit, Intel Mfr. P/N: AXXPRAIL; STI P/N: SV-AXXPRAIL		2			
SV- KVR16R11S...	8GB KVR16R11S4/8HA, Kingston 8GB (compatible with SC2400 Server board)		8			
ASB	ASSEMBLE / UPDATE / TEST / BURNIN		2			
Warranty	System 1YR Warranty, Parts and Labor		2			
RD-rksata4r5	Raid activation key - MFR# RKSATA4R5 - UPC# 735858238861 - Intel RAID C600 Upgrade Key - RAID controller upgrade key ( RAID 5 activation ) - 1 storage controller - for Compute Module HNS2600; Server Board S2600; Server System P4308, R1208		2			
Memo	***** RAID KEY *****		0			

ITEM 2 [MERLOT 0/1]

S.O. No.	P.O. No.	Rep	Account #	Ship Date	Ship Via	FOB
q111872	140084 /	KB	PL9057	11/25/2014	Delivery	
Item	Description		Qty			
SERVER-SYS	100114-1 HP DL385p AMD Opteron 6376		2			
SV-710725-S01	DL385P GEN8 6376 8-SFF US SVR/SBY		2			
SV-HP-AMD6376	HP-AMD6376 AMD Opteron 2.3GHz (3.2Ghz max) 16 Core, 16MB cache for HP DL385p; HP-AMD6376		2			
DH-652749-B21	1TB 7.2K SAS HPL SFF 2.5 SC G8 MDL HD		2			
Memo	16GB HP RAM (total) installed (8GB X 2)		2			
Memo	24 memory slots total (22 open); onboard RAID 0, 1, 5, 10, 50		0			
SV-HP-DL385pG...	HP DL385p Gen8 AMD DUAL Operation rack server chassis and board; (2x AMD Opteron 2.3Ghz (16 Core); HP DVDRW; Dual 750watt RPS		2			
SV-HP-DL385pR...	HP BALL BEARING RAIL kit with Cable Management Arm; HP-DL385pRAILS		2			
SV-HP-DL385pD...	DVD Burner for HP DL385p 2U rack chassis; HP-DL385pDVDRW		2			
Memo	1] NO O/S; 2] No optional warranties; 3] HP base unit has a 3 year on site, limited warranty		0			
NOTE	1] Two AMD 6376 processors installed per server; 2] ONE 1TB 7.2k SFF SAS HDD installed per server; 3] 16GB memory total installed (configured 8GB x 2); 4] Dual 750w RPS installed; 5] HP DVDRW included and installed; 6] BALL BEARING RAILS with Cable Management Arm **** 7] No O/S		0			

ITEM 3 [NOCERA 0/1]

S.O. No.	P.O. No.	Rep	Account #	Ship Date	Ship Via	FOB
q112343	Item 3A	KB	PL9057	1/15/2015	Delivery	Linux
Item	Description			Qty		
SV-1017537392634	PowerEdge.R415 Chassis w/up to 4 Cabled HDs, Quad-Pack LED Diagnostics, No Operating System , 32GB Memory,(2x16GB) 1600MT/s, Dual Rank LVRDIMMs at Std Volt, for 2 Processors			2		
Memo	qty 2 CPU: AMD Opteron™ 4133, 2.8GHz, 4C, 2M L2/6M L3, 1333Mhz Max Mem *** TWO CPU INSTALLED			0		
Memo	DVD-ROM Drive, Internal			0		
Memo	Bezel included			0		
Memo	ReadyRails™ Sliding Rails with Cable Management Arm included			0		

ITEM 4 [BAROQUE 0/1]

S.O. No.	P.O. No.	Rep	Account #	Ship Date	Ship Via	FOB
q111921	140086 ✓	KB	PL9057	11/25/2014	Delivery	
Item	Description			Qty		
SERVER-SYS	072214-4 Intel 1U R1208RPOSHOR E3-231 3.4GHz Socket H3 LGA-1150, 8MB			2		
ND-WD5000BPKX	500GB - WD Black WD5000BPKX - 2.5" Internal SATA - 7200 rpm - 16 MB Buffer; STI P/N: ND-WD5000BPKX			2		
SV-R1208RPOS...	Intel 1U rack, Dual 450watt power supplies; Intel Mfr. P/N: R1208RPOSHOR			2		
CP-BX80646E31...	Intel Xeon E3-1231 v3 Quad-core (4 Core) 3.40 GHz Processor - Socket H3 LGA-1150Retail Pack 1MB - 8 MB Cache - 5 GT/s DMI - Yes - 3.80 GHz Overclocking Speed - 22nm - 80watt, Intel P/N: BX80646E31231V3			2		
NOTE	Onboard dual 450watt power supplies			0		
ASB	ASSEMBLE / UPDATE / TEST / BURNIN			2		
Warranty	System 1YR Warranty, Parts and Labor			2		
NOTE	>>> Install customer-supplied Linux on all servers			0		
SV-AXXSATAD...	Intel DVD±RW drive - Serial ATA, works with SR2600URSATARNA, SR2600LX, R1208RPOSHOR; Intel Mfr: P/N: AXXSATADVDRWROM			2		
MM-KVR16E11/8	8GB ECC - DDR3 - 1600MHz CL11 DIMM w/TS; STI P/N: MM-KVR16E11/8; Kingston P/N: KVR16E11/8			2		

ITEM 5 [OSELATA 0/1]

S.O. No.	P.O. No.	Rep	Account #	Ship Date	Ship Via	FOB
q112344	Item 5-A	KB	PL9057	1/20/2015	Delivery	LinuX
Item	Description			Qty		
Memo	No O/S			0		
Memo	>>>> DELIVER A.S.A.P. <<<<			0		
SV-698542635	<del>40084</del> 40101 PowerEdge R415 Chassis w/ up to 4 Hot-Plug HDs, LCD Diagnostics and AMD Opteron 42XX Procs (225-2370)TWO processors installed: AMD Opteron 4376HE, 2.6GHz, 8C, Turbo CORE, 8M L2/8M L3, 1600Mhz Max Mem (319-1491)16GB Memory,(4x4GB) 1600MT/s, Single Rank LVRDIMMs at Std Volt, for 2 Processors (370-ABII); 500GB 7.2K RPM SATA 3Gbps 3.5in Hot-plug Hard Drive (341-8728); ReadyRails Sliding Rails without Cable Management Arm (330-4139)			2		

**ITEM 6 [CHARDONNAY 0/1]**

S.O. No.	P.O. No.	Rep	Account #	Ship Date	Ship Via	FOB
q111873 ✓	140088 ✓	KB	PL9057	12/8/2014	Delivery	
Item	Description	Qty				
SERVER-SYS	072414-6 GIGABYTE 1U GS-R12R4S E5 2400 SERIES	2				
CP-BX80634E52...	Intel Intel Xeon E5-2403 v2 Quad-core (4 Core) 1.80 GHz Processor - Socket FCLGA1356 1 MB - 10 MB Cache - 6.40 GT/s QPI - 5 GT/s DMI - Yes - 1.80 GHz Overclocking Speed - 22 nm - 80 W - 168.8°F (76°C) - 1.3 V DC SN:2178.2496.	2				
Memo	NOTE: one processor installed per server	0				
DH-WD1003FBYZ	1TB - SATA - WD Enterprise hard drive WD1003FBYZ, 600 3.5" 7,200rpm 600MBs, 64MB cache; 5year WD warranty SN:OF8Z.61CX	2				
SV-GS-R12P4S	Gigabyte 1U RACK Server system, Mfr. P/N: GS-R12P4S	2				
Memo	1] Integrated Aspeed AST2150 2D Video 2] 1U rack Chassis with SINGLE, FIXED 350watt Power supply (installed); 3] FOUR (total) 3.5" HDD bays, ONE HDD (1 x 1TB installed) (three open HDD bays); 4] Slim DVDRW installed; 5] No O/S	2				
ASB	ASSEMBLE / UPDATE / TEST / BURNIN	2				
Warranty	System 1YR Warranty, Parts and Labor	2				
CP-HS-HEATSIN...	1U HEATSINK FOR Intel XEON 1U E5-2403 Processor, High-end, 1u-Heatsink; 1U HEATSINK FOR E5-2403	2				
Memo	1U HEATSINK NOT INCLUDED, ADDED. 1U FOR INTEL XEON PROCESSOR. *TECHNICAL NOTE*	2				
ASB	ASSEMBLE / UPDATE / TEST / BURNIN	2				
Warranty	System 1YR Warranty, Parts and Labor	2				
Memo	Technical Notes: 1X 500W SINGLE WATT PSU, "FIXED" Installed and tested); Chassis: (4 x) 3.5" bays (1 x 1TB installed and tested) (3 HDD bays open); Onboard Dual GB LAN (RJ-45); 1 x 500w 80 PLUS BRONZE PSU, installed. Additional Configuration notes: 1] NO O/S factory installed; 2 no extended warranties from Gigabyte	0				
SV-GB-KOR	Gigabyte HEAVY DUTY rails for GS-R12P4S; Gigabyte "KOR" rail system	2				
Memo	*Install customer-supplied Linux on all servers	0				
MM-KVR16N11/8	8GB - *DDR3 - 1600 - Kingston Non-ECC CL11 DIMM - PC3-12800 - Non-ECC - Unbuffered - 240-pin DIMM, KVR16N11/8 SN:6006X2	2				
Memo	*Gigabyte Server motherboard is included	0				

ITEM 7 [ELBLING 0/1]

S.O. No.	P.O. No.	Rep	Account #	Ship Date	Ship Via	FOB	
q112346	140089	KB	PL9057	1/7/2015			
Item	#7	Description			Qty		
SV-DL-462-7579		Dell PowerEdge R420 - Server - rack-mountable - 1U - 2-way - 1 x Xeon E5-2407V2 / 2.4 GHz - RAM 8 GB - SAS - hot-swap 3.5" - HDD 1 TB DVD - Matrox G200 - GigE - no OS - Monitor : none			2		

ITEM 8 [FIANO 0/1]

S.O. No.	P.O. No.	Rep	Account #	Ship Date	Ship Via	FOB
q111875	140090	KB	PL9057	12/8/2014	Delivery	
Item	# 8 Description			Qty		
SERVER-SYS CP-BX80634E52...	072314-1 SUPERMICRO 1U E5-1.8Ghz Quad Core Intel Intel Xeon E5-2403 v2 Quad-core (4 Core) 1.80 GHz Processor - Socket FCLGA1356 1 MB - 10 MB Cache - 6.40 GT/s QPI - 5 GT/s DMI - Yes - 1.80 GHz Overclocking Speed - 22 nm - 80 W - 168.8°F (76°C) - 1.3 V DC SN:2172.2256.			2		
Memo	INTEL XEON Processor E5-2403 1.8 1356/10MB/80w for: SUPERMICRO: X9DBL-iF			0		
CP-SNK-P0046P	SNK-P0046P Supermicro fan and heatsink assembly for SYS-6017B-MTLF; FAN Supermicro Mfr. P/N for the fan: SNK-P0046P			2		
SV- SYS-6017B-...	Supermicro SuperServer, Supermicro Manufacturer P/N: SYS-6017B-MTLF			2		
DH-WD1003FBYZ	1TB - SATA - WD Enterprise hard drive WD1003FBYZ, 600 3.5" 7,200rpm 600MBs, 64MB cache; 5year WD warranty SN:OH4P.PEVC.			2		
Memo	TECHNICAL NOTE: ONE (1x) 1TB HDD installed per each Supermicro Server (1x 1TB) = 1 HDD			0		
Memo	1] Optional RAILS - MCP-290-00056-0N (not included), ADDED			2		
SV-MCP-290-000...	RAILS - MCP-290-00056-0N; SuperMicro RAILS for 6017B-MTLF (OPTIONAL) RAILS (Rail Kit, assembly. Installation Required).			2		
MM-KVR16E11/8	8GB ECC - DDR3 - 1600MHz CL11 DIMM w/TS; STI P/N: MM-KVR16E11/8; Kingston P/N: KVR16E11/8			2		
Memo	RAM: 8GB TOTAL RAM INSTALLED (8GB TOTAL) ( 1 X 8GB) (one single 8GB module, 3 sockets open)			0		
NOTE	1] ONE 8GB KINGSTON MODULE INSTALLED. 4 DIMM SOCKETS, 3 OPEN. 1 X 8GB MODULE INSTALLED 9max = 32GB, 3 sockets open)			0		
Memo	Technical notes: ONE 350watt single Power Supply installed (FIXED)			0		
NOTE	OPTIONAL RAILS **** MUST BE INCLUDED **** RAIL KIT MUST BE INCLUDED *****			0		
ASB	ASSEMBLE / UPDATE / TEST / BURNIN			2		
Warranty	System 1YR Warranty, Parts and Labor			2		
Memo	(Onboard Intel GB Dual LAN)			0		
Memo	POWER SUPPLY: Single 350watt /350w PS (FIXED, not hot-HS/ not RPS)			0		
Memo	>>> Install customer-supplied Linux in all the servers			0		



**ITEM 9 [PINOT 0/1]**

S.O. No.	P.O. No.	Rep	Account #	Ship Date	Ship Via	FOB
q111922	140091	KB	PL9057	1/2/2015	Delivery	
Item	# 9 Description			Qty		
SERVER-SYS	Supermicro 1U for single AMD CPU, Opteron 3250, 4core, 2.5GHz, 45w, 4GB			2		
SV-AS1012A-MRF	Supermicro A+ AS1012A-MRF, Single 942-pin Socket AM3+, Supports up to Single 8/4-Core ready AMD Opteron™ 3000 Series processor; Supermicro P/N: AS1012A-MRF SN:2980.3009.			2		
Memo	Specifications: <a href="http://www.supermicro.com/Aplus/system/1U/1012/AS-1012A-MRF.cfm">http://www.supermicro.com/Aplus/system/1U/1012/AS-1012A-MRF.cfm</a>			0		
NOTE	Onboard: 2x Intel 82574L single-port Gigabit Ethernet Controller			0		
NOTE	Motherboard specifications: <a href="http://www.supermicro.com/Aplus/motherboard/Opteron3000/SR56x0/H8SML-iF.cfm">http://www.supermicro.com/Aplus/motherboard/Opteron3000/SR56x0/H8SML-iF.cfm</a> :			0		
CP-AMD-FX-6300	AMD FX-6300 6-Core Processor: Socket: AM3, 6-core processing, Up to 5GHz processing speed, Black Edition, FX6300 SN:0766.0763.			2		
DH-WD1003FBYZ	1TB - SATA - WD Enterprise hard drive WD1003FBYZ, 600 3.5" 7,200rpm 600MBs, 64MB cache; 5year WD warranty SN:PUDH.PW4L.			2		
NOTE	AMD chipset SR5650/SP5100; Single 942-pin Socket AM3+ Supports up to Single 8/4-Core ready AMD Opteron™ 3000 Series processor; HT3.0 Link support; SATA chipset: AMD SP5100 RAID 0, 1; onboard Intel 82574L single-port Gigabit Ethernet, 10/100/1000Base-T support; single 200watt power supply (fixed) included			0		
SV-CSE-PT8L	Supermicro CSE-PT8L, (optional rail kit for Supermicro Server AS-1012A-MRF ); Supermicro rail kit Manufacturer P/N: CSE-PT8L			2		
ASB	ASSEMBLE / UPDATE / TEST / BURNIN			2		
Warranty	System 1YR Warranty, Parts and Labor			2		
Memo	Install customer-supplied Linux on all servers, if possible			0		
MM- KVR16E11...	4GB DDR3, 1600MHz, ECC, CL11; 1R, X8; 1.5V, Unbuffered, DIMM, 240-pin, Kingston Mfr. P/N: KVR16E11S8/4			4		
NOTE	*8GB ECC memory (total) installed			0		
Memo	*Install customer-supplied Linux image on all servers if possible			1		

**ITEM 10 [GODELLO 0/1]**

S.O. No.	P.O. No.	Rep	Account #	Ship Date	Ship Via	FOB
q111923 ✓	140092 ✓	KB	PL9057	12/8/2014	Delivery	
Item	#10 Description		Qty			
SV-11603384	Dell 1U R220 - Dell PowerEdge R220 # 081314-2 Intel Xeon E3-1220 3.1Ghz, 8MB cache, Quad Core; 1TB 7200rpm; 8GB RAM; DVDRW; rails; no O/S; no bezel		2			
ASB	ASSEMBLE / UPDATE / TEST / BURNIN		2			
Memo	(No Extended, Optional critical business Dell warranties selected)		0			
Memo	Install customer-supplied Linux in all servers (if this can be installed / if it will install)		0			

ITEM 11 [HUXELREBE 0/1]

S.O. No.	P.O. No.	Rep	Account #	Ship Date	Ship Via	FOB
q111924	140093 ✓	KB	PL9057	11/25/2014	Delivery	
Item	Description			Qty		
SERVER-SYS	Lenovo 1U E-3 XEON # 1225 v3 3.2Ghz Quad-Core; 1 x processor installed; 1TB HDD 7.2k (x1); 4GB RAM incl. w/base unit - 4GB additional added (for a total of 8GB installed); RS140 1U rack; 1 x 300w Gold fixed PS; DVDRW; 2x HDD bays only			2		
DH-LN-4XB0F28...	1TB - 3.5" - SATA - Lenovo - HDD - internal - 6Gb/s - 7200 rpm - for ThinkServer RS140 70F2 (3.5"), 70F3 (3.5"), 70F8 (3.5"), 70F9 (3.5"); Lenovo P/N: 4XB0F28665 SN:1S4XB0F28665PB036PED.			2		
SV-LN-70F90008...	1S4XB0F28665PB036PEE					
SV-LN-70F90008...	Lenovo 70F90008UX ThinkServer RS140 1P 1U rack; 2 x 3.5" bays; 1 x 300watt fixed power supply; 4GB RAM (included w/the base unit); XEON E3-1225 v3 3.2Ghz Quad Core; Lenovo P/N: 70F90008UX SN: SMJ011KVY SMJ011KW2 .			2		
MM-LN-0C19499	4GB - ECC - Lenovo - DDR3L - TS - 1600 MHz (1Rx8) UDIMM, Lenovo P/N: 0C19499 SN:1S0C19499PCVM210. 1S0C19499PCBBW19			2		
ASB	ASSEMBLE / UPDATE / TEST / BURNIN			2		
Memo	*Install customer-supplied Linux on all servers if possible			0		

11/12  
OK #

ITEM 12 (ITALIA 0/1)

S.O. No.	P.O. No.	Rep	Account #	Ship Date	Ship Via	FOB
q111925	140094 ✓	KB	PL9057	11/25/2014	Delivery	
Item	Description			Qty		
SERVER-SYS	Intel U rack E3 (v2) 3.1Ghz 4Cores/4Threads; 1TB x 1; 8GB ECC; 250watt power supply;; SVIM DVDRW; value rails; Intel rack w/Intel MB included			2		
CP-E3-1220V2	Intel Xeon E3-1220V2 - 3.10Ghz - Intel Xeon Processor - Socket H2 LGA-1155			2		
DH-WD1003FBYZ	Quad-core (4Core /4 thread); 8MB Cache 5 GT/s DMI; Ivy bridge; BX80637E31220V2 SN:1634.0944.			2		
SV-AXXVRAIL	1TB - SATA - WD Enterprise hard drive WD1003FBYZ, 600 3.5" 7,200rpm 600MBs, 64MB cache; 5year WD warranty SN:PH2N.PEVX			2		
OD-DS-8A8SH-01	Intel Value Rack Rail Kit - AXXVRAIL; Rail Kit for INtel R2308.x Series 2U racks; SV-AXXVRAIL			2		
NOTE	8X - SATA - Lite On DVDRW Tray-In Slim Bulk (no software or cables) drive, OEM LiteOn Branded. P/N: DS-8A8SH-01. See model DS8A2SCABLE for 12" SATA power cable, OD-DS-8A8SH-01 SN:6346.6345.			2		
SV-R1304BTSSF...	S1200BTS motherboard included; 250watt single power supply included and installed; DVDRW installed; (no bezel)			0		
MM-KVR16E11/8	Intel Server System R1304BTSSFANR - rack-mountable - 1U - 1-way - RAM 0 MB - no HDD - ServerEngines Pilot II - Gigabit LAN - Monitor : none; Intel Mfr. P/N: R1304BTSSFANR			2		
ASB	8GB ECC - DDR3 - 1600MHz CL11 DIMM w/TS; STI P/N: MM-KVR16E11/8; Kingston P/N: KVR16E11/8			2		
Memo	ASSEMBLE / UPDATE / TEST / BURNIN			2		
	*Install customer-supplied Linux on all servers, if possible			0		

ITEM 13 [RIMAVA 0/1]

S.O. No.	P.O. No.	Rep	Account #	Ship Date	Ship Via	FOB
q111926	140095 /	KB	PL9057	12/3/2014	Delivery	
Item	#13 Description			Qty		
SERVER-SYS	White Box 2U rack - AMD 970A-G46, AMD AM3+, 4 DIMM, max 32GB; AMD FX-6300 6-Core, 8MB cache, 32nm, 95w; 1TB HDD x 1; 8GB RAM; DVDRW			2		
Memo	2U FAN AND HEATSINK FOR AMD AM3+			0		
CP-AMD-FX6300	AMD FX-6300 AM3+ Vishera series; 3.5GHz 6MB L-2 cache; 8MB L-3; 95watts "CO" Stepping			2		
MB-970A-646	MSI 970A-646, AM3+ motherboard **** version with 9 pin serial port			2		
SV-RM2U2345FS	ATHENAPOWER 2U RACKMOUNT CHASSIS, with 480W power supply			2		
DH-WD1003FBYZ	1TB - SATA - WD Enterprise hard drive WD1003FBYZ, 600 3.5" 7.200rpm 600MBs, 64MB cache; 5year WD warranty			2		
OD-iHAS124-14	Liteon 24X SATA DVDRW, internal, 5.25" DVDRW, Liteon P/N: iHAS124-14; STI P/N: OD-iHAS124-14 (Bulk, OEM, no software)			2		
Memo	Rails included			2		
ASB	ASSEMBLE / UPDATE / TEST / BURNIN			2		
Warranty	System 1YR Warranty, Parts and Labor - at depot			2		
Memo	*Install customer-supplied Linux on all servers, if possible			0		
MM-KVR16N11/8	8GB - *DDR3 - 1600 - Kingston Non-ECC CL11 DIMM - PC3-12800 - Non-ECC - Unbuffered - 240-pin DIMM, KVR16N11/8			2		
VG-E-GT210-1	PCIe - 1GB - eVGA w/nVidia GT210 chipset, x16, DDR3, GT210-1, DVI, D-Sub/15pin VGA, HDMI, low-profile capable; 01G-P3-1312-LR SN:5239.5236.			2		
IO-PEX16RISER	StarTech.com PCI Express Riser Card - x16 Left Slot Adapter for 1U/2U Servers			2		

S.O. No.	P.O. No.	Rep	Account #	Ship Date	Ship Via	FOB
q111859	140096 ✓	KB	PL9057	11/25/2014	Delivery	
Item	# 140815 Description			Qty		
NW-30060-1	COMTROL 1U rack-mountable 32port RJ-45 Serial Hub (32 x RJ-45 serial ports); Comtrol P/N: 30060-1			2		
IO-30138-7	COMTROL Rocketport EXpress 32port serial controller card; PCI-Express; comes with "Y" cables; Comtrol P/N: 30138-7			2		
CB-AD-RJ30060-1	Custom adapters for COMTROL 32port 30060-1 [RJ-45 serial hub]; RJ-45 SERIAL signal to Female DB9 converter [Null Modem signal]; RJ-45 FEMALE to Female DB9 Serial [computer side]			64		

S.O. No.	P.O. No.	Rep	Account #	Ship Date	Ship Via	FOB
q111868	140098 ✓	KB	PL9057	11/25/2014	Delivery	
Item	#18 Description		Qty			
UP-AP8641	APC Switched Rack PDU 2G Zero U Power distribution unit ( rack-mountable ) - AC 200/208/230 V - Ethernet 10/100, RS-232 - 24 output connector(s) - 0U; APC P/N: AP8641		2			
Memo	>>>>> Correct PO# 140098 <<<		0			

11/12/14  
 cbi #11110  
 \$22,000

q111860	140097 ✓	KB	PL9057	11/25/2014	Delivery	LINUX
Item	19 & 20	Description	Qty	Unit Price	Amount	
SW-J9777A#ABA		HP 8port Managed Switch J9777A#ABA SN:80GD.	1			
SW-J9775A#ABA		HP ProCurve J9775A#ABA 48port no PoE; Managed switch; HP P/N: J9775A#ABA SN:60WP.	1			
Memo		>>> correct HP P/N for the HP 48port is J9775A#ABA	0			

11/12/14  
 CS # 11  
 \$220

\*Payment terms: The total amount of this invoice shall be payable in full by BUYER within the due date on the invoice. All amounts past due are subject to a late charge of 1.5% per month.

Sal